

Safety Data Sheet

Revision Date: 13/9/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : LeviSelect Nanospheres

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Research use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LevitasBio, Inc. 1505 Adams Drive Menlo Park, CA 94025

1.4. Emergency telephone number

Emergency number : 408-663-4260

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2	> 98	Not classified
Sodium chloride	CAS-No.: 7647-14-5 EC-No.: 231-598-3	0.7 – 0.9	Not classified

EN (English) 1/12

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Albumins, blood serum (bovine)	CAS-No.: 9048-46-8 EC-No.: 232-936-2	0.5	Not classified
Phosphate	CAS-No.: 14265-44-2	0.15 – 0.18	Not classified
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, disodium salt, dihydrate	CAS-No.: 6381-92-6 EC-No.: 613-386-6	0.067	Not classified
Sodium azide	CAS-No.: 26628-22-8 EC-No.: 247-852-1 EC Index-No.: 011-004-00-7	0.05	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Potassium chloride	CAS-No.: 7447-40-7 EC-No.: 231-211-8	0.015 – 0.025	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water,

irst-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment.

EN (English) 2/12

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking

and when leaving work.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep from freezing.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium azide (26628-22-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	0.1 mg/m³	
IOEL STEL	0.3 mg/m³	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	0.1 mg/m³	
MAK (OEL STEL)	0.3 mg/m³	
OEL chemical category	Skin notation	

EN (English) 3/12

Safety Data Sheet

Belgium - Occupational Exposure Limits OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] 0.1 mg/m³ KGVI (OEL TWA) [1] 0.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL STEL 0.1 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits OEL chemical category Potential for cutaneous absorption Del chemical category Potential for cutaneous absorption	Sodium azide (26628-22-8)		
Bulgaria - Occupational Exposure Limits OEL TWA OL mg/m³ OEL STEL O.3 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] OL mg/m³ KGVI (OEL STEL) OL mg/m³ Coel chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA OL mg/m³ OEL STEL OL mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) OL mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OL mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA [1] OL mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OL mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OL mg/m³ OEL STEL OL mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] OL mg/m³ OFL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] OL mg/m³ OL mg/m³ OFL Chemical Category Sensitizer, Skin notation	Belgium - Occupational Exposure Limits		
OEL TWA OEL STEL O.3 mg/m³ OEL STEL O.3 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] O.1 mg/m³ KGVI (OEL STEL) O.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL Chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ HTP (OEL TWA) [1] O.1 mg/m³ HTP (OEL STEL) O.3 mg/m³	OEL chemical category	Skin, Skin notation	
DEL STEL O.3 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) [1] O.1 mg/m³ KGVI (OEL STEL) O.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL STEL OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) OEL Chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL TWA [1] OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL Chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OL1 mg/m³ OEL STEL O.3 mg/m³ OEL Chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.1 mg/m³ OEL Chemical category Sensitizer, Skin notation	Bulgaria - Occupational Exposure Limits		
Croatia - Occupational Exposure Limits GVI (OEL STEL) 0.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL Chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 0.1 mg/m³ OEL Chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL Chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL Chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL Chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ OL1 mg/m³ OEL Chemical category Sensitizer, Skin notation	OEL TWA	0.1 mg/m³	
GVI (OEL TWA) [1] 0.1 mg/m³ KGVI (OEL STEL) 0.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL TWA) [1] 0.1 mg/m³	OEL STEL	0.3 mg/m³	
KGVI (OEL STEL) 0.3 mg/m³ OEL chemical category Skin notation Cyprus - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OEL STEL 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ OI mg/m³	Croatia - Occupational Exposure Limits		
DEL chemical category Cyprus - Occupational Exposure Limits DEL TWA DEL STEL 0.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) DEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] DEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] DEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA DEL TWA DEL TWA DEL Chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] D.1 mg/m³ D.1 mg/m³ DEL chemical category Sensitizer, Skin notation	GVI (OEL TWA) [1]	0.1 mg/m³	
Cyprus - Occupational Exposure Limits OEL TWA OEL STEL 0.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL STEL O.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.1 mg/m³ OEL STEL O.3 mg/m³ OEL STEL O.3 mg/m³	KGVI (OEL STEL)	0.3 mg/m³	
OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL chemical category	Skin notation	
OEL STEL OEL chemical category Skin-potential for cutaneous absorption Czech Republic - Occupational Exposure Limits PEL (OEL TWA) OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] O.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OEL TWA OIL mg/m³ OEL STEL OIL mg/m³ OEL STEL OIL mg/m³ OEL STEL OIL mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] OIL mg/m³	Cyprus - Occupational Exposure Limits		
OEL chemical category Czech Republic - Occupational Exposure Limits PEL (OEL TWA) OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OEL TWA OEL STEL O.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ O.1 mg/m³ O.1 mg/m³	OEL TWA	0.1 mg/m³	
Czech Republic - Occupational Exposure Limits PEL (OEL TWA) OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.1 mg/m³ OEL STEL O.3 mg/m³	OEL STEL	0.3 mg/m³	
PEL (OEL TWA) OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OEL TWA OEL TWA OEL TWA OEL STEL OSA mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.1 mg/m³ OEL chemical category Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.3 mg/m³ O.3 mg/m³	OEL chemical category	Skin-potential for cutaneous absorption	
OEL chemical category Potential for cutaneous absorption Denmark - Occupational Exposure Limits OEL TWA [1] OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA O.1 mg/m³ OEL STEL O.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] O.1 mg/m³ O.1 mg/m³ O.3 mg/m³	Czech Republic - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits OEL TWA [1] 0.1 mg/m³ OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	PEL (OEL TWA)	0.1 mg/m³	
OEL TWA [1] OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA OLUMA OLUMA OLUMA OLUMA OEL STEL OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] OLUMA OLUMA	OEL chemical category	Potential for cutaneous absorption	
OEL chemical category Potential for cutaneous absorption Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	Denmark - Occupational Exposure Limits		
Estonia - Occupational Exposure Limits OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL TWA [1]	0.1 mg/m³	
OEL TWA 0.1 mg/m³ OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL chemical category	Potential for cutaneous absorption	
OEL STEL 0.3 mg/m³ OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³			
OEL chemical category Sensitizer, Skin notation Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL TWA	0.1 mg/m³	
Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL STEL	0.3 mg/m³	
HTP (OEL TWA) [1] 0.1 mg/m³ HTP (OEL STEL) 0.3 mg/m³	OEL chemical category	Sensitizer, Skin notation	
HTP (OEL STEL) 0.3 mg/m³	Finland - Occupational Exposure Limits		
	HTP (OEL TWA) [1]	0.1 mg/m³	
OEL chemical category Potential for cutaneous absorption	HTP (OEL STEL)	0.3 mg/m³	
1 definition of absorption	OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits	France - Occupational Exposure Limits		
VME (OEL TWA) 0.1 mg/m³ (restrictive limit)	VME (OEL TWA)	0.1 mg/m³ (restrictive limit)	
VLE (OEL C/STEL) 0.3 mg/m³ (restrictive limit)	VLE (OEL C/STEL)	0.3 mg/m³ (restrictive limit)	
OEL chemical category Risk of cutaneous absorption	OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1] 0.2 mg/m³	AGW (OEL TWA) [1]	0.2 mg/m³	
Gibraltar - Occupational Exposure Limits			
OEL TWA 0.1 mg/m³	OEL TWA	0.1 mg/m³	
OEL STEL 0.3 mg/m³	OEL STEL	0.3 mg/m³	
OEL chemical category Skin notation	OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits	Greece - Occupational Exposure Limits		
OEL TWA 0.3 mg/m³	OEL TWA	0.3 mg/m³	

EN (English) 4/12

Safety Data Sheet

Sodium azide (26628-22-8)	
OEL TWA [ppm]	0.1 ppm
OEL STEL	0.3 mg/m³
OEL STEL [ppm]	0.1 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	0.1 mg/m³
CK (OEL STEL)	0.3 mg/m³
Ireland - Occupational Exposure Limits	
OEL TWA [1]	0.1 mg/m³
OEL STEL	0.3 mg/m³
OEL chemical category	Potential for cutaneous absorption
Italy - Occupational Exposure Limits	
OEL TWA	0.1 mg/m³
OEL STEL	0.3 mg/m³
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	0.1 mg/m³
OEL chemical category	skin - potential for cutaneous exposure
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	0.1 mg/m³
TPRV (OEL STEL)	0.3 mg/m³
OEL chemical category	Skin notation
Luxembourg - Occupational Exposure Limits	
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	
OEL TWA	0.1 mg/m³
OEL STEL	0.3 mg/m³
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	0.1 mg/m³
TGG-15min (OEL STEL)	0.3 mg/m³
MAC chemical category	Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	0.1 mg/m³
NDSCh (OEL STEL)	0.3 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	0.1 mg/m³ (indicative limit value)
OEL STEL	0.3 mg/m³ (indicative limit value)
OEL C	0.29 mg/m³
OEL C [ppm]	0.11 ppm (vapor)

EN (English) 5/12

Safety Data Sheet

Sodium azide (26628-22-8)		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
OLE CHEMICAL CATEGORY	indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	0.1 mg/m³	
OEL STEL	0.3 mg/m³	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	0.1 mg/m³	
NPHV (OEL C)	0.3 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.1 mg/m³	
OEL STEL	0.3 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	0.1 mg/m³ (indicative limit value)	
VLA-EC (OEL STEL)	0.3 mg/m³	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	0.1 mg/m³	
KTV (OEL STEL)	0.3 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.1 mg/m³	
WEL STEL (OEL STEL)	0.3 mg/m³	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	0.1 mg/m³	
Korttidsverdi (OEL STEL)	0.3 mg/m³ (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.2 mg/m³ (inhalable dust)	
KZGW (OEL STEL)	0.4 mg/m³ (inhalable dust)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL C	0.29 mg/m³	
ACGIH OEL C [ppm]	0.11 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Sodium chloride (7647-14-5)		
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	

EN (English) 6/12

Safety Data Sheet

Sodium chloride (7647-14-5)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Potassium chloride (7447-40-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Physical state

None required under normal product handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid

Colour : Opaque, brown Odour : Characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point Freezing point : No data available : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

EN (English) 7/12

Safety Data Sheet

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Not determined.

10.6. Hazardous decomposition products

Not determined.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Water	(7732-18-5)
	,

LD50 oral rat > 90 ml/kg

Sodium azide (26628-22-8)

 LD50 oral rat
 27 mg/kg

 LD50 dermal rabbit
 20 mg/kg

Sodium chloride (7647-14-5)

LD50 oral rat

3 g/kg

LD50 dermal rabbit

> 10000 mg/kg (Species: New Zealand White)

LC50 Inhalation - Rat

> 42 g/m³ (Exposure time: 1 h)

Potassium chloride (7447-40-7)

LD50 oral rat 2600 mg/kg

Skin corrosion/irritation : Not classified

EN (English) 8/12

Safety Data Sheet

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(GIT GITE)	
Sodium azide (26628-22-8)	
LC50 - Fish [1]	0.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 - Fish [2]	0.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Sodium chloride (7647-14-5)	
LC50 - Fish [1]	5560 – 6080 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
LC50 - Fish [2]	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	340.7 – 469.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Potassium chloride (7447-40-7)	
LC50 - Fish [1]	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 - Fish [2]	750 – 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h - Algae [1]	2500 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

LeviSelect Nanospheres	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

LeviSelect Nanospheres	
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF - Fish [1]	(no bioaccumulation)

EN (English) 9/12

Safety Data Sheet

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

•

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with licensed collector's sorting instructions.Dispose in a safe manner in accordance with local/national regulations.

. Dispose in a saic mariner in accordance with loc

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

EN (English) 10/12

Safety Data Sheet

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

EN (English) 11/12

Safety Data Sheet

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 67	Nasal septum lesions caused by potassium chloride dust in potash mines and their dependencies
RG 78	Diseases caused by sodium chloride in salt mines and their dependencies

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

: Albumins, blood serum is listed

Albumins, blood serum is listed

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

None of the components are listed

, ,

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 12/12